M330G Relay Panel

DATA SHEET

Description:

Enclosed in an attractive powder coated metal enclosure, the M330 series Heatizon Relay Panels are designed to operate up to four line voltage heating element lengths manually, from one Heatizon Activation Device, or from a Heatizon Systems Monitor Station Selector Box (Heatizon Part No. M346).

- Powder coated enclosure with wiring diagram on the inside cover. (Other enclosures are available upon request)
- Rocker switches for manual operation.
- Easy connection of power supply and load for up to four circuits.



- Requires 120V, Switches 120/208/240/277 VAC
- Dimensions: 18" x 12" x 5"
- Weight: 17 lbs

Applications:

- Snow Melting
- Roof Deicing
- Floor Warming
- Space Heating
- Pipe Freeze Protection

L20V, Switches ns: 18" x 12" x 1bs

Note: Refer for specific




4137 South 500 West Murray, Utah 84123

Features:

- Contains four relays.
- Master rocker switch, and four auto/manual rocker switches.
- Power and status LED's on Ground Fault Sensor .
- Accepts up to four 30AMP circuits of Self Regulating, MI, constant wattage cables, and other loads.
- Three Ground Fault set points:
- 5mA-detects sensitive ground fault conditions that may be injurious to people
- 10mA and 30mA to help eliminate nuisance tripping while providing ground fault equipment protection.
- Compatible with Heatizon supplied 120VAC activation devices and the M346 Monitor Station.
- Available in various types of enclosures

Wiring:



FOR MORE INFORMATION Company: Heatizon Systems Toll Free: 888-239-1232 Email: info@heatizon.com Visit us at: www.heatizon.com